

COSHH ASSESSMENT

[Name of Product and intended use]									
Date Assessed:		Review Frequency:	Annually	Review Date:		SDS Date:			
Assessed by:		Personnel Involved:							
Product Name:									
Manufacturer:									
Suppliers Name:									
Dilution Rate:									
Intended Use of Product:									
Description of Product:									
HAZARD DETAIL (H or R Statements)									
IDENTIFIED HAZARDS: (Pictograms - Delete as required)									
Hazard Statements (Delete as required)	Very toxic to aquatic life	Causes Skin Irritation	Flammable liquid & vapour						
CONTROL MEASURES: (Pictograms - Delete as required)									
(PPE Standard - Delete as required)	Chemical Resistant gloves (Nitrile)	Safety Goggles EN166 Where risk of splashing	Safety footwear EN ISO 20345	Face fitted half mask EN 143 P3 in limited ventilation					
PROVISION OF PERSONAL PROTECTIVE EQUIPMENT	Respiratory Protection: Skin Protection:								

COSHH ASSESSMENT

(Description of PPE requirements)	Eye Protection: Hand Protection:			
EMERGENCY PROCEDURES (Procedures as per Data Sheet)	Eyes: 			
	Ingestion: 			
	Inhalation: 			
	Skin: 			
FIRST AID REQUIREMENTS	First aid kits strategically located within EDC premises. Welfare facilities/toilets also available within premises which have hot and cold water sources for irrigation of eyes, mouth, washing hands. Provision of first aid personnel within premises. In the event that injured person requires medical attention contact NHS 24 (111) or 999/112 if more immediate medical attention is required.			
PRODUCT CONTENT (As Per Data Sheet – Check HSE Guidance EH40/2005 for WELs)	NAME	%	WEL (STEL) 15 Mins	WEL (TWA) 8 Hours
HANDLING AND STORAGE:	Handling: Storage:			
ENVIRONMENTAL & SPILLAGE ACTION:	Environmental: Spillage:			
WASTE DISPOSAL:				
TRANSPORT:	Not regulated for Transport.			

COSHH ASSESSMENT

(Any ADR/IATA restrictions from Data Sheet)		
FIRE PRECAUTIONS:	Storage: Fire Fighting:	
GENERAL CONTROL MEASURES:		
BANNED APPLICATIONS AND OTHER RESTRICTIONS:	NONE	
HEALTH SURVEILLANCE: (Change as required)	NO	There are no substances identified in this COSHH assessment as being listed under Schedule 6 of the COSHH Regulations 2002 and with all control measures in place health surveillance is not required.
RISK RATING: (Change as required)	LOW	The risks when using this product will be LOW if all controls as stated are in place and followed.